

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: _____

DATE : 7/24/2005

TO SPE OF : ART UNIT 1600(1616)

SUBJECT : Request for Certificate of Correction on Patent No.: 6,881,417

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Certificates of Correction Branch - PK 3-922

Palm location **7580** - Tel. No. 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Ernest C. White, LIE305-8339

Thank You For Your Assistance

Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments:


JOHANN RICHTER
SUPERVISORY PATENT EXAMINER
GROUP 1600

SPE

1621
Art Unit



June 24, 2005

MICHAEL A. O'NEIL, P.C.
INTELLECTUAL PROPERTY ATTORNEYS AND COUNSELORS

5949 Sherry Lane, Suite 820
Dallas, Texas 75225
214-739-0088
Telecopier 214-739-8284
www.oneillplaw.com

C. of C.

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
JUL 08 2005
of Correction

Re: Registration No. US 6,881,417 B1
Issued: April 19, 2005
For: Method, Apparatus & Composition for Automatically
Coating the Human Body with Plural Components
Serial No.: 10/664,572
Filed: September 17, 2003
Our File: 117645-1036

Sir:

Enclosed please find a Certificate of Correction for the subject patent. The Certificate of Correction contains errors made on the part of the Patent Office so no fee is enclosed. Below are minor errors that were made on the part of the Applicant and a certificate of correction is not deemed necessary. However, Applicant desires this letter of correction be made of record in the file.

IN OTHER PUBLICATIONS

Page 1, col. 2, line 1, replace "Dihydroxyacetone" with -- Dihydroxyacetone--.

Page 1, col. 2, line 3, replace "Dihydroxyacetone-containing" with -- Dihydroxyacetone-containing--.

Page 1, col. 2, line 8, replace "Dihydroxyacetone" with -- Dihydroxyacetone--.

Page 1, col. 2, lines 9-10, replace "Environmenta" with -- Environmental--.

Page 1, col. 2, line 13, replace "Dihydroxyacetone" with -- Dihydroxyacetone--.

Page 1, col. 2, line 18, replace "Cosmetics and perfumes" with -- Cosmetics and Perfumes--.

IN THE SPECIFICATION

Col. 2, line 33, replace "tanning formations" with --tanning formulations--.

Col. 14, line 52, replace "Binks high-efficiency" with --Binks' high-efficiency--.


IN THE ABSTRACT

Line 8, replace "composition is useful" with -- composition, which is useful--.

If you have any questions, please call me.

Very truly yours,

MICHAEL A. O'NEIL, P.C.

A handwritten signature in black ink that reads "Michael A. O'Neil". The signature is written in a cursive, flowing style with a large, stylized "M" and "O".

Michael A. O'Neil

cc: Dr. Thomas J. Laughlin

Enclosure

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : US 6,881,417 B1
DATED : April 19, 2005
INVENTOR(S) : Thomas J. Laughlin

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE SPECIFICATION

Col. 1, line 12, replace "which is continuation-in-part" with --which is a continuation-in-part--.

Col. 1, line 14, replace "application Ser. No. 09/294,689" with -- provisional application Ser. No. 60/154,948 filed September 21, 1999, abandoned, which is a continuation-in-part of application Ser. No. 09/294,689--.

Col. 1, line 36, replace "long standing" with --long-standing--.

Col. 2, line 19, replace "anti-microbial" with -- anti-microbials--.

Col. 2, lines 41-43, replace "retain more absorb or trap more formulation (e.g., the wrinkles in the elbows and knees and the dense tissue in the palms)" with -- retain more formulation. The result is that as the formulation is being spread manually, certain tissue absorb or trap more formulation (e.g., the wrinkles in the elbows and knees and the dense tissue in the palms)--.

Col. 4, line 24, replace "Dornicent" with --Domicent--.

Col. 6, lines 63-66, replace "Foaming Creme Bath (Chesebrough-Ponds, Greenwich, Conn.). The bronzer is a combination of FD&C dyes that yield a golden brown color. By way of example" with -- By way of example--.

Col. 7, line 30, replace "at a pH 3.0" with --at a pH of 3.0--.

Col. 8, lines 35-37, replace "depends will result in a very dark tan. The exact amount of dihydroxyacetone required depends on the skin" with -- depends on the skin--.

Col. 8, line 60, replace "electrostatic" with -- • electrostatic--.

MAILING ADDRESS OF SENDER: Michael A. O'Neill, P.C.
5949 Sherry Lane, Suite 820
Dallas, TX 75225

PATENT No. U.S. 6,881,417 B1

No. of additional
copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : US U.S. 6,881,417 B1
DATED : April 19, 2005
INVENTOR(S) : Thomas J. Laughlin

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE SPECIFICATION (Continued)

Col. 10, lines 36-37, replace "guide the cubic feet per minute per square foot, the air movement is sufficient to guide the" with -- guide the--.

Col. 12, lines 20-21, replace "with a includes both a coating chamber 32 adapted to receive a person to be coated with a" with --with a --.

Col. 14, lines 33-34, replace "feet separated about 12 inches
feet separated about 12 inches" with -- feet separated about 12 inches--.

Col. 15, lines 60-61, replace "mainly from the with the area with no sticker. The initial color was mainly from the" with -- mainly from the--.

Col. 16, line 66, replace "many of cosmetic" with -- many cosmetic--.

Col. 17, line 8, replace "systems with which" with -- systems which--.

Col. 17, line 20, replace "as is received" with -- is received--.

Col. 17, line 26, replace "having a dual" with --having dual--.

IN THE CLAIMS

Col. 18, Claim 1, line 55, replace "effect the first component" with -- affect the first component --.

MAILING ADDRESS OF SENDER: Michael A. O'Neil, P.C.
5949 Sherry Lane, Suite 820
Dallas, TX 75225

PATENT No. U.S. U.S. 6,881,417 B1

No. of additional
copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.